

2026 PACIFIC NORTHWEST CROP QUALITY REPORT

WEEK 2: August 6th, 2026

Please remember that this data is based on a small number of samples from a limited production region. Use caution when drawing conclusions about the overall crop.

We received and processed a total of 108 samples by the end of the second week reporting period for the 2026 Pacific Northwest wheat harvest.

SAMPLE DISTRIBUTION –

44 wheat samples were received in the second week – 34 soft white (SWH), 7 hard red winter (HRW), and 3 hard red spring (HRS).

Regions	R1\2	R3	R4	R5	R6\7	R8	R9	R10	R11	R12	R13	R14
SWH	2		11	8	5	4		4				
WHCB												
HRW			2		1	3		1				
HRS				1		1		1				

PZs	NC	NE	C	SE	SW
SWH	12		20		2
WHCB					
HRW	5		2		
HRS	2		1		

SWH –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.3	9.3	0.4	34.9	295	#1SWH	60.5	79.6	1.36
CUMULATIVE LAST WEEK	9.4	8.8	0.4	35.5	287	#1SWH	61.1	80.4	1.34
5-year average	9.0	10.2	0.5	33.0	332	#1SWH	60.5	79.6	1.40

SRC profiles are within normal range for the class with suitably low water absorption and weak Farinograph characteristics.


HRW –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.2	11.0	0.6	36.9	307	#2HRW	61.3	80.6	1.43
CUMULATIVE LAST WEEK	9.0	10.8	0.6	36.4	303	#2HRW	61.1	80.3	1.40
5-year average	9.0	11.7	0.3	33.9	368	#1HRW	61.0	80.3	1.43

HRS –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.0	14.1	0.6	34.7	335	#1HRS	62.0	81.5	1.61
CUMULATIVE LAST WEEK	8.7	15.2	0.7	33.7	341	#1HRS	61.9	81.4	1.50
5-year average	9.2	14.6	0.5	30.7	370	#1HRS	61.5	80.9	1.60

USDA Economic Statistics Districts






BY USDA ECONOMIC STATISTICS DISTRICTS

Table 1

CROP WEEK 2: August 6, 2026																				
			Grading Data									Quality Data								
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/ht)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	1/2	2	59.8	78.6	0.5	0.0	0.0	0.1	0.8	0.8	11.0	8.4	8.4	8.4	321	36.4	21.7	2.74	1.42	16.0
SWH	4	19	59.0	77.7	0.3	0.0	0.0	0.0	1.0	1.0	9.1	10.2	7.5	14.0	310	30.6	9.4	2.56	1.35	23.4
SWH	5	11	61.1	80.4	0.2	0.0	0.0	0.1	0.4	0.5	9.5	8.4	7.7	9.2	291	39.9	14.2	2.87	1.41	17.3
SWH	6/7	7	60.7	79.8	0.7	0.0	0.0	0.0	0.7	0.7	9.3	9.2	7.3	11.8	296	35.9	18.7	2.72	1.35	20.4
SWH	8	4	59.6	78.4	0.8	0.0	0.9	0.0	0.8	1.7	9.3	11.8	9.6	13.6	307	34.6	20.7	2.68	1.54	29.7
SWH	10	25	61.3	80.7	0.5	0.0	0.0	0.0	0.5	0.5	8.7	8.7	7.1	11.1	274	34.1	21.3	2.68	1.31	17.5
SWH	11	13	61.1	80.4	0.2	0.0	0.0	0.0	0.4	0.4	10.4	9.1	6.7	11.4	307	37.6	21.0	2.75	1.39	19.0
	Crop Year Average																			
SWH	2026	81	60.5	79.6	0.4	0.0	0.1	0.0	0.6	0.7	9.3	9.3			295	34.9	17.3	2.69	1.36	19.9
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	10	2	59.7	78.6	1.1	0.0	0.0	0.6	2.1	2.7	8.7	9.9	8.3	11.4	316	27.3	21.5	2.42	1.43	
	Crop Year Average																			
WHCB	2026	2	59.7	78.6	1.1	0.0	0.0	0.6	2.1	2.7	8.7	9.9			316	27.3	21.5	2.42	1.43	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	4	3	62.7	82.4	0.2	0.0	0.0	0.0	0.3	0.3	10.1	12.1	11.9	12.4	303	38.3	59.8	2.86	1.45	26.7
HRW	5	1	64.2	84.4	0.0	0.0	0.0	0.0	0.1	0.1	9.2	11.9	11.9	11.9	325	46.1	59.6	3.17	1.23	27.7
HRW	6/7	5	62.5	82.1	0.6	0.0	0.0	0.0	0.3	0.4	9.1	10.4	8.0	12.3	316	36.8	58.4	2.86	1.39	21.9
HRW	8	5	62.4	82.0	0.6	0.0	0.0	0.0	0.6	0.6	9.1	10.9	9.9	12.3	319	42.2	58.8	3.05	1.50	23.6
HRW	10	3	59.1	77.8	0.8	0.0	0.0	0.0	0.8	0.8	8.4	10.8	10.5	11.2	306	31.4	61.1	2.70	1.37	21.5
HRW	11	3	57.1	75.2	0.9	0.0	0.0	0.0	1.2	1.3	9.4	11.0	9.6	11.8	269	29.5	63.6	2.61	1.48	21.8
	Crop Year Average																			
HRW	2026	20	61.3	80.6	0.6	0.0	0.0	0.0	0.6	0.6	9.2	11.0			307	36.9	59.9	2.86	1.43	23.3
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	5	1	63.1	82.9	0.5	0.0	0.0	0.0	0.7	0.7	9.2	13.2	13.2	13.2	359	33.1	67.9	2.74	1.59	28.0
HRS	6/7	1	61.0	80.2	1.0	0.0	0.0	0.1	0.6	0.7	9.1	15.7	15.7	15.7	341	30.9	72.9	2.73	1.58	38.1
HRS	8	1	58.9	77.5	0.6	0.0	0.0	0.0	0.5	0.5	9.2	13.9	13.9	13.9	304	33.1	63.4	2.75	1.85	31.1
HRS	10	2	63.4	83.3	0.5	0.0	0.0	0.0	1.4	1.4	8.7	14.0	13.3	14.6	335	38.2	63.4	2.93	1.51	34.8
	Crop Year Average																			
HRS	2026	5	62.0	81.5	0.6	0.0	0.0	0.0	0.9	0.9	9.0	14.1			335	34.7	66.2	2.82	1.61	33.4
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org





BY PRODUCTION ZONES

Table 2


CROP WEEK 2: August 6, 2026																				
			Grading Data									Quality Data								
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/hl)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	NC	22	60.7	79.8	0.6	0.0	0.2	0.0	0.6	0.8	8.8	9.5	7.2	13.6	294	35.3	20.3	2.71	1.38	20.7
SWH	NE	27	61.3	80.7	0.4	0.0	0.0	0.0	0.5	0.5	9.7	8.8	6.7	11.4	288	35.0	21.1	2.68	1.34	18.3
SWH	C	31	59.8	78.7	0.3	0.0	0.0	0.0	0.8	0.8	9.3	9.5	7.3	14.0	302	34.2	11.5	2.68	1.37	20.9
SWH	SW	2	59.8	78.6	0.5	0.0	0.0	0.1	0.8	0.8	11.0	8.4	8.4	8.4	321	36.4	21.7	2.74	1.42	16.0
	Crop Year Average																			
SWH	2026	81	60.5	79.6	0.4	0.0	0.1	0.0	0.6	0.7	9.3	9.3			295	34.9	17.3	2.69	1.36	19.9
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	NC	1	58.6	77.1	1.1	0.0	0.0	1.1	3.6	4.7	8.2	11.4	11.4	11.4	324	25.0	23.6	2.31	1.46	
WHCB	NE	1	60.8	80.0	1.0	0.0	0.0	0.0	0.6	0.6	9.2	8.3	8.3	8.3	308	29.7	19.4	2.53	1.41	
	Crop Year Average																			
WHCB	2026	2	59.7	78.6	1.1	0.0	0.0	0.6	2.1	2.7	8.7	9.9			316	27.3	21.5	2.42	1.43	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	NC	12	61.6	81.0	0.7	0.0	0.0	0.0	0.5	0.6	8.9	10.6	8.0	12.3	314	38.0	58.9	2.91	1.45	22.0
HRW	NE	3	57.1	75.2	0.9	0.0	0.0	0.0	1.2	1.3	9.4	11.0	9.6	11.8	269	29.5	63.6	2.61	1.48	21.8
HRW	C	4	63.0	82.8	0.2	0.0	0.0	0.0	0.3	0.3	9.8	11.9	11.4	12.4	312	38.8	60.2	2.89	1.35	27.1
	Crop Year Average																			
HRW	2026	20	61.3	80.6	0.6	0.0	0.0	0.0	0.6	0.6	9.2	11.0			307	36.9	59.9	2.86	1.43	23.3
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	NC	4	61.7	81.1	0.7	0.0	0.0	0.0	1.0	1.0	8.9	14.4	13.3	15.7	328	35.1	65.8	2.84	1.61	34.7
HRS	C	1	63.1	82.9	0.5	0.0	0.0	0.0	0.7	0.7	9.2	13.2	13.2	13.2	359	33.1	67.9	2.74	1.59	28.0
	Crop Year Average																			
HRS	2026	5	62.0	81.5	0.6	0.0	0.0	0.0	0.9	0.9	9.0	14.1			335	34.7	66.2	2.82	1.61	33.4
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org


Distributions

SOFT WHITE WHEAT

81 SAMPLES

WHITE CLUB WHEAT

2 SAMPLES



Prepared by: Wheat Marketing Center, Portland, Oregon