

2026 PACIFIC NORTHWEST CROP QUALITY REPORT

WEEK 4: August 20th, 2026

We received and processed a total of 254 samples by the end of the fourth week reporting period for the 2026 Pacific Northwest wheat harvest.

SAMPLE DISTRIBUTION –

50 wheat samples were received in the fourth week – 46 soft white (SWH), 1 white club (WHCB), 2 hard red winter (HRW), and 1 hard red spring (HRS).

Regions	R1\2	R3	R4	R5	R6\7	R8	R9	R10	R11	R12	R13	R14
SWH	1	1	21	11				12				
WHCB				1								
HRW			2									
HRS								1				

PZs	NC	NE	C	SE	SW
SWH	6	7	31		2
WHCB			1		
HRW			2		
HRS		1			

SWH –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.3	8.9	0.5	35.8	280	#1SWH	60.9	80.0	1.34
CUMULATIVE LAST WEEK	9.3	9.0	0.5	36.0	284	#1SWH	60.8	80.0	1.35
5-year average	9.0	10.2	0.5	33.0	332	#1SWH	60.5	79.6	1.40

SRC profiles are within normal range for the class with suitably low water absorption and weak Farinograph characteristics.


HRW –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.1	11.0	0.6	36.9	312	#1HRW	61.3	80.6	1.44
CUMULATIVE LAST WEEK	9.1	10.9	0.7	36.8	312	#1HRW	61.4	80.7	1.43
5-year average	9.0	11.7	0.3	33.9	368	#1HRW	61.0	80.3	1.43

HRS –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.0	13.7	0.5	35.1	343	#1HRS	62.5	82.2	1.55
CUMULATIVE LAST WEEK	9.0	13.7	0.5	35.2	343	#1HRS	62.5	82.1	1.57
5-year average	9.2	14.6	0.5	30.7	370	#1HRS	61.5	80.9	1.60

USDA Economic Statistics Districts





BY USDA ECONOMIC STATISTICS DISTRICTS

Table 1

CROP WEEK 4: August 20, 2026																				
			Grading Data								Quality Data									
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/hl)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	1/2	9	60.0	79.0	0.7	0.0	0.0	0.0	0.6	0.6	11.3	8.4	7.6	9.7	323	38.8	16.8	2.79	1.37	15.9
SWH	3	1	59.6	78.4	1.5	0.0	0.0	0.2	0.1	0.3	10.8	14.8	14.8	14.8	319	40.2	20.8	2.89	1.37	36.3
SWH	4	54	60.1	79.1	0.4	0.0	0.0	0.1	0.7	0.8	9.3	9.1	6.4	14.0	277	33.2	11.4	2.64	1.34	18.3
SWH	5	44	60.7	79.8	0.4	0.0	0.0	0.0	0.5	0.5	9.3	8.6	7.3	10.3	270	36.8	13.6	2.77	1.40	17.0
SWH	6/7	12	60.7	79.9	0.7	0.0	0.0	0.0	0.6	0.6	9.3	9.3	7.3	12.4	300	36.0	20.1	2.72	1.33	20.8
SWH	8	4	59.6	78.4	0.8	0.0	0.9	0.0	0.8	1.7	9.3	11.8	9.6	13.6	307	34.6	20.7	2.68	1.54	29.7
SWH	10	71	61.7	81.1	0.5	0.0	0.0	0.0	0.4	0.4	8.8	8.7	6.9	11.1	273	36.3	22.5	2.74	1.29	18.0
SWH	11	13	61.1	80.4	0.2	0.0	0.0	0.0	0.4	0.4	10.4	9.1	6.7	11.4	307	37.6	21.0	2.75	1.39	19.0
	Crop Year Average																			
SWH	2026	208	60.9	80.0	0.5	0.0	0.0	0.0	0.5	0.6	9.3	8.9			280	35.8	17.2	2.72	1.34	18.3
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9


WHCB	5	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
WHCB	10	2	59.7	78.6	1.1	0.0	0.0	0.6	2.1	2.7	8.7	9.9	8.3	11.4	316	27.3	21.5	2.42	1.43	
	Crop Year Average																			
WHCB	2026	3	59.8	78.7	0.8	0.0	0.0	0.4	1.5	1.9	8.9	9.2			296	28.5	21.6	2.46	1.34	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	

HRW	4	7	62.2	81.7	0.2	0.0	0.0	0.0	0.7	0.7	9.4	11.7	11.3	12.4	313	38.8	56.9	2.91	1.49	25.4
HRW	5	1	64.2	84.4	0.0	0.0	0.0	0.0	0.1	0.1	9.2	11.9	11.9	11.9	325	46.1	59.6	3.17	1.23	27.7
HRW	6/7	7	62.0	81.6	0.6	0.0	0.0	0.0	0.5	0.5	8.9	9.7	7.5	12.3	309	36.0	56.5	2.84	1.36	19.4
HRW	8	7	61.9	81.4	0.7	0.0	0.0	0.0	0.7	0.7	9.3	11.2	9.9	12.3	330	40.3	60.4	2.98	1.52	25.0
HRW	10	4	59.8	78.7	1.3	0.0	0.0	0.0	0.7	0.8	8.5	11.2	10.5	12.2	316	32.2	63.3	2.73	1.38	23.3
HRW	11	3	57.1	75.2	0.9	0.0	0.0	0.0	1.2	1.3	9.4	11.0	9.6	11.8	269	29.5	63.6	2.61	1.48	21.8
	Crop Year Average																			
HRW	2026	29	61.3	80.6	0.6	0.0	0.0	0.0	0.7	0.7	9.1	11.0			312	36.9	59.3	2.86	1.44	23.3
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4

HRS	4	2	63.4	83.3	0.2	0.0	0.0	0.0	0.3	0.3	8.7	14.1	13.1	15.0	344	35.5	60.6	2.83	1.61	36.7
HRS	5	2	63.0	82.8	0.5	0.0	0.0	0.1	0.8	0.8	9.2	12.9	12.5	13.2	367	33.3	65.2	2.76	1.60	26.2
HRS	6/7	3	61.7	81.2	0.6	0.0	0.0	0.1	0.6	0.7	9.3	14.5	11.4	16.3	349	32.6	60.0	2.72	1.50	34.7
HRS	8	4	61.8	81.3	0.5	0.0	0.0	0.0	0.3	0.3	9.1	13.4	12.5	14.4	329	36.6	62.6	2.85	1.60	31.5
HRS	10	3	63.4	83.3	0.5	0.0	0.0	0.0	1.1	1.1	8.5	13.7	13.2	14.6	341	36.6	64.8	2.86	1.44	32.4
	Crop Year Average																			
HRS	2026	14	62.5	82.2	0.5	0.0	0.0	0.0	0.6	0.6	9.0	13.7			343	35.1	62.6	2.81	1.55	32.4
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org

Pacific Northwest Wheat Production Zones





BY PRODUCTION ZONES

Table 2


CROP WEEK 4: August 20, 2026																				
			Grading Data								Quality Data									
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/hl)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	NC	34	60.8	80.0	0.7	0.0	0.1	0.0	0.6	0.7	8.8	9.3	7.2	13.6	289	35.4	20.0	2.71	1.36	19.6
SWH	NE	64	61.8	81.2	0.3	0.0	0.0	0.0	0.3	0.4	9.2	8.8	6.7	11.4	278	36.9	22.9	2.75	1.30	18.7
SWH	C	100	60.4	79.4	0.4	0.0	0.0	0.1	0.6	0.7	9.3	8.9	6.4	14.0	274	34.8	12.6	2.70	1.36	17.7
SWH	SW	10	60.0	78.9	0.8	0.0	0.0	0.1	0.5	0.6	11.3	9.1	7.6	14.8	322	38.9	17.2	2.80	1.37	17.9
	Crop Year Average																			
SWH	2026	208	60.9	80.0	0.5	0.0	0.0	0.0	0.5	0.6	9.3	8.9			280	35.8	17.2	2.72	1.34	18.3
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	NC	1	58.6	77.1	1.1	0.0	0.0	1.1	3.6	4.7	8.2	11.4	11.4	11.4	324	25.0	23.6	2.31	1.46	
WHCB	NE	1	60.8	80.0	1.0	0.0	0.0	0.0	0.6	0.6	9.2	8.3	8.3	8.3	308	29.7	19.4	2.53	1.41	
WHCB	C	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
	Crop Year Average																			
WHCB	2026	3	59.8	78.7	0.8	0.0	0.0	0.4	1.5	1.9	8.9	9.2			296	28.5	21.6	2.46	1.34	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	NC	17	61.4	80.8	0.9	0.0	0.0	0.0	0.6	0.6	8.9	10.6	7.5	12.3	318	37.0	59.4	2.88	1.44	22.1
HRW	NE	3	57.1	75.2	0.9	0.0	0.0	0.0	1.2	1.3	9.4	11.0	9.6	11.8	269	29.5	63.6	2.61	1.48	21.8
HRW	C	8	62.4	82.1	0.2	0.0	0.0	0.0	0.6	0.6	9.4	11.7	11.3	12.4	316	39.0	57.8	2.91	1.43	25.9
	Crop Year Average																			
HRW	2026	29	61.3	80.6	0.6	0.0	0.0	0.0	0.7	0.7	9.1	11.0			312	36.9	59.3	2.86	1.44	23.3
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	NC	9	62.1	81.7	0.5	0.0	0.0	0.0	0.6	0.7	9.1	13.9	11.4	16.3	337	35.6	61.9	2.83	1.55	33.3
HRS	NE	1	63.3	83.2	0.4	0.0	0.0	0.0	0.4	0.4	8.0	13.2	13.2	13.2	353	33.3	67.7	2.73	1.30	27.7
HRS	C	4	63.2	83.0	0.3	0.0	0.0	0.0	0.5	0.5	8.9	13.5	12.5	15.0	355	34.4	62.9	2.79	1.60	31.4
	Crop Year Average																			
HRS	2026	14	62.5	82.2	0.5	0.0	0.0	0.0	0.6	0.6	9.0	13.7			343	35.1	62.6	2.81	1.55	32.4
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
 Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org

Distributions


SOFT WHITE WHEAT

208 SAMPLES



WHITE CLUB WHEAT

3 SAMPLES



Prepared by: Wheat Marketing Center, Portland, Oregon