

2026 PACIFIC NORTHWEST CROP QUALITY REPORT

WEEK 5: August 27th, 2026

We received and processed a total of 365 samples by the end of the fifth week reporting period for the 2026 Pacific Northwest wheat harvest.

SAMPLE DISTRIBUTION –

111 wheat samples were received in the fifth week – 68 soft white (SWH), 23 white club (WHCB), 15 hard red winter (HRW), and 5 hard red spring (HRS).

Regions	R1\2	R3	R4	R5	R6\7	R8	R9	R10	R11	R12	R13	R14
SWH		1	4		2	11	2	29	19			
WHCB						11		4	8			
HRW					1	2		8	4			
HRS					1	1		2	1			

PZs	NC	NE	C	SE	SW
SWH	14	49	4		1
WHCB	12	11			
HRW	3	12			
HRS	1	3	1		

SWH –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.2	8.9	0.5	35.3	280	#1SWH	61.0	80.2	1.33
CUMULATIVE LAST WEEK	9.3	8.9	0.5	35.8	280	#1SWH	60.9	80.0	1.34
5-year average	9.0	10.2	0.5	33.0	332	#1SWH	60.5	79.6	1.40


SRC profiles are within normal range for the class with suitably low water absorption and weak Farinograph characteristics.

HRW –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.0	10.6	0.5	36.5	308	#1HRW	61.7	81.2	1.41
CUMULATIVE LAST WEEK	9.1	11.0	0.6	36.9	312	#1HRW	61.3	80.6	1.44
5-year average	9.0	11.7	0.3	33.9	368	#1HRW	61.0	80.3	1.43

HRS –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.0	13.5	0.5	34.8	346	#1HRS	62.5	82.1	1.52
CUMULATIVE LAST WEEK	9.0	13.7	0.5	35.1	343	#1HRS	62.5	82.2	1.55
5-year average	9.2	14.6	0.5	30.7	370	#1HRS	61.5	80.9	1.60





BY USDA ECONOMIC STATISTICS DISTRICTS

Table 1


CROP WEEK 5: August 27, 2026																				
			Grading Data									Quality Data								
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/ht)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	1/2	9	60.0	79.0	0.7	0.0	0.0	0.0	0.6	0.6	11.3	8.4	7.6	9.7	323	38.8	16.8	2.79	1.37	15.9
SWH	3	2	59.7	78.5	1.3	0.0	0.0	0.1	0.2	0.3	10.1	11.7	8.5	14.8	319	35.7	23.1	2.78	1.50	28.1
SWH	4	58	60.2	79.2	0.5	0.0	0.0	0.1	0.6	0.7	9.3	9.0	6.4	14.0	276	33.3	11.8	2.65	1.33	18.3
SWH	5	44	60.7	79.8	0.4	0.0	0.0	0.0	0.5	0.5	9.3	8.6	7.3	10.3	270	36.8	13.6	2.77	1.40	17.0
SWH	6/7	14	60.7	79.8	0.8	0.0	0.0	0.0	0.8	0.9	9.3	9.2	7.3	12.4	302	35.7	19.1	2.72	1.36	20.1
SWH	8	15	60.4	79.5	0.6	0.0	0.2	0.0	0.6	0.8	8.6	10.2	7.1	13.6	306	32.6	24.0	2.62	1.33	24.0
SWH	9	2	62.4	82.0	0.4	0.0	0.0	0.0	0.2	0.2	9.2	9.2	8.7	9.6	310	37.6	25.0	2.83	1.20	20.3
SWH	10	100	61.7	81.1	0.4	0.0	0.0	0.1	0.4	0.5	8.9	8.6	6.7	11.1	265	35.8	22.1	2.73	1.28	17.4
SWH	11	32	61.2	80.5	0.4	0.0	0.0	0.0	0.5	0.5	9.8	8.9	6.7	11.4	311	35.5	21.5	2.71	1.38	18.7
	Crop Year Average																			
SWH	2026	276	61.0	80.2	0.5	0.0	0.0	0.0	0.5	0.6	9.2	8.9			280	35.3	18.3	2.71	1.33	18.2
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	5	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
WHCB	8	11	61.6	81.0	0.9	0.0	0.0	0.0	0.9	0.9	8.7	9.7	8.0	12.8	302	56.2	24.5	2.60	1.26	
WHCB	10	6	61.3	80.6	0.9	0.0	0.0	0.3	1.4	1.7	8.9	9.3	8.0	11.4	321	30.1	27.9	2.55	1.38	
WHCB	11	8	62.8	82.5	0.8	0.0	0.0	0.2	0.9	1.1	9.1	9.3	8.2	11.3	328	31.2	32.1	2.66	1.40	
	Crop Year Average																			
WHCB	2026	26	61.8	81.3	0.8	0.0	0.0	0.1	1.0	1.1	8.9	9.4			312	41.5	27.5	2.60	1.33	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	4	7	62.2	81.7	0.2	0.0	0.0	0.0	0.7	0.7	9.4	11.7	11.3	12.4	313	38.8	56.9	2.91	1.49	25.4
HRW	5	1	64.2	84.4	0.0	0.0	0.0	0.0	0.1	0.1	9.2	11.9	11.9	11.9	325	46.1	59.6	3.17	1.23	27.7
HRW	6/7	8	62.2	81.7	0.6	0.0	0.0	0.0	0.5	0.5	8.8	9.9	7.5	12.3	313	36.9	56.9	2.87	1.34	19.9
HRW	8	9	62.0	81.5	0.7	0.0	0.0	0.0	0.6	0.6	9.0	11.4	9.9	12.3	345	38.9	61.6	2.93	1.54	25.5
HRW	10	12	61.4	80.8	0.6	0.0	0.0	0.0	0.5	0.5	8.8	10.1	7.4	12.2	278	33.7	59.5	2.79	1.35	18.7
HRW	11	7	60.5	79.5	0.7	0.0	0.0	0.0	0.8	0.8	8.9	10.1	9.0	11.8	296	33.8	61.0	2.78	1.37	19.9
	Crop Year Average																			
HRW	2026	44	61.7	81.2	0.5	0.0	0.0	0.0	0.6	0.6	9.0	10.6			308	36.5	59.3	2.86	1.41	21.8
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	4	2	63.4	83.3	0.2	0.0	0.0	0.0	0.3	0.3	8.7	14.1	13.1	15.0	344	35.5	60.6	2.83	1.61	36.7
HRS	5	2	63.0	82.8	0.5	0.0	0.0	0.1	0.8	0.8	9.2	12.9	12.5	13.2	367	33.3	65.2	2.76	1.60	26.2
HRS	6/7	4	62.0	81.5	0.6	0.0	0.0	0.1	0.7	0.7	9.0	14.8	11.4	16.3	351	32.3	63.8	2.73	1.48	37.9
HRS	8	5	61.7	81.1	0.5	0.0	0.0	0.0	0.5	0.6	9.0	13.2	12.3	14.4	328	35.8	62.9	2.83	1.60	30.3
HRS	10	5	63.0	82.9	0.4	0.0	0.0	0.0	1.0	1.0	8.5	13.4	12.5	14.6	346	34.5	66.4	2.80	1.39	30.0
HRS	11	1	63.0	82.8	0.5	0.0	0.0	0.0	0.1	0.1	12.6	10.9	10.9	10.9	375	42.3	49.8	2.95	1.51	23.0
	Crop Year Average																			
HRS	2026	19	62.5	82.1	0.5	0.0	0.0	0.0	0.6	0.7	9.0	13.5			346	34.8	63.3	2.80	1.52	31.7
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831

Ph: (503) 295-0823

Fax: (503) 295-2735

Email: lab@wmcinc.org





BY PRODUCTION ZONES

Table 2


CROP WEEK 5: August 27, 2026																				
			Grading Data									Quality Data								
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/hl)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	NC	48	60.8	80.0	0.7	0.0	0.1	0.0	0.6	0.7	8.7	9.3	7.1	13.6	295	34.4	21.2	2.68	1.34	19.9
SWH	NE	113	61.7	81.1	0.4	0.0	0.0	0.1	0.4	0.5	9.2	8.7	6.7	11.4	275	35.9	22.3	2.73	1.30	18.0
SWH	C	104	60.4	79.5	0.4	0.0	0.0	0.1	0.6	0.7	9.3	8.8	6.4	14.0	274	34.8	12.7	2.70	1.36	17.7
SWH	SW	11	60.0	78.9	0.8	0.0	0.0	0.1	0.5	0.6	11.1	9.0	7.6	14.8	322	38.2	18.0	2.79	1.39	18.1
	Crop Year Average																			
SWH	2026	276	61.0	80.2	0.5	0.0	0.0	0.0	0.5	0.6	9.2	8.9			280	35.3	18.3	2.71	1.33	18.2
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	NC	13	61.2	80.5	1.0	0.0	0.0	0.1	1.1	1.2	8.6	9.8	8.0	12.8	304	51.7	24.5	2.57	1.28	
WHCB	NE	12	62.6	82.3	0.8	0.0	0.0	0.2	0.9	1.1	9.2	9.1	8.0	11.3	326	31.3	31.3	2.65	1.40	
WHCB	C	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
	Crop Year Average																			
WHCB	2026	26	61.8	81.3	0.8	0.0	0.0	0.1	1.0	1.1	8.9	9.4			312	41.5	27.5	2.60	1.33	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	NC	20	61.6	81.0	0.8	0.0	0.0	0.0	0.6	0.6	8.8	10.8	7.5	12.3	326	37.0	60.0	2.88	1.45	22.7
HRW	NE	15	61.4	80.8	0.4	0.0	0.0	0.0	0.5	0.6	8.9	9.8	7.4	11.8	277	34.2	59.2	2.80	1.36	18.0
HRW	C	8	62.4	82.1	0.2	0.0	0.0	0.0	0.6	0.6	9.4	11.7	11.3	12.4	316	39.0	57.8	2.91	1.43	25.9
	Crop Year Average																			
HRW	2026	44	61.7	81.2	0.5	0.0	0.0	0.0	0.6	0.6	9.0	10.6			308	36.5	59.3	2.86	1.41	21.8
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	NC	10	62.0	81.6	0.6	0.0	0.0	0.0	0.7	0.8	9.0	13.7	11.4	16.3	336	35.3	62.1	2.81	1.55	32.5
HRS	NE	4	62.9	82.6	0.4	0.0	0.0	0.0	0.6	0.6	9.4	12.5	10.9	13.2	358	34.6	63.7	2.77	1.36	25.9
HRS	C	5	63.1	82.9	0.3	0.0	0.0	0.0	0.6	0.6	8.7	13.9	12.5	15.8	355	33.8	65.4	2.78	1.57	34.6
	Crop Year Average																			
HRS	2026	19	62.5	82.1	0.5	0.0	0.0	0.0	0.6	0.7	9.0	13.5			346	34.8	63.3	2.80	1.52	31.7
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org

Distributions


SOFT WHITE WHEAT

276 SAMPLES



WHITE CLUB WHEAT

26 SAMPLES



Prepared by: Wheat Marketing Center, Portland, Oregon