

2026 PACIFIC NORTHWEST CROP QUALITY REPORT

WEEK 6: September 3rd, 2026

We received and processed a total of 409 samples by the end of the sixth week reporting period for the 2026 Pacific Northwest wheat harvest.

SAMPLE DISTRIBUTION –

44 wheat samples were received in the sixth week – 22 soft white (SWH), 11 white club (WHCB), 3 hard red winter (HRW), and 8 hard red spring (HRS).

Regions	R1\2	R3	R4	R5	R6\7	R8	R9	R10	R11	R12	R13	R14
SWH		1				15		6				
WHCB					2	7		2				
HRW					2			1				
HRS					2	5		1				

PZs	NC	NE	C	SE	SW
SWH	15	6			1
WHCB	9	2			
HRW	2	1			
HRS	7	1			

SWH –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	9.2	9.0	0.5	35.1	283	#1SWH	61.0	80.2	1.33
CUMULATIVE LAST WEEK	9.2	8.9	0.5	35.3	280	#1SWH	61.0	80.2	1.33
5-year average	9.0	10.2	0.5	33.0	332	#1SWH	60.5	79.6	1.40


SRC profiles are within normal range for the class with suitably low water absorption and weak Farinograph characteristics.

HRW –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	8.9	10.5	0.5	36.5	306	#1HRW	61.7	81.2	1.40
CUMULATIVE LAST WEEK	9.0	10.6	0.5	36.5	308	#1HRW	61.7	81.2	1.41
5-year average	9.0	11.7	0.3	33.9	368	#1HRW	61.0	80.3	1.43

HRS –

	MOISTURE (%)	PROTEIN (%,12%mb)	Dockage (%)	THKW (g)	FALLING NUMBER (sec,14%mb)	U.S. GRADE	Test Weight (lb/bu)	Test Weight (kg/hl)	ASH (%,14%mb)
CUMULATIVE THIS WEEK	8.9	13.9	0.6	33.7	347	#1HRS	61.9	81.4	1.55
CUMULATIVE LAST WEEK	9.0	13.5	0.5	34.8	346	#1HRS	62.5	82.1	1.52
5-year average	9.2	14.6	0.5	30.7	370	#1HRS	61.5	80.9	1.60





BY USDA ECONOMIC STATISTICS DISTRICTS

Table 1

CROP WEEK 6: September 3, 2026																				
			Grading Data								Quality Data									
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/ht)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (>20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	1/2	9	60.0	79.0	0.7	0.0	0.0	0.0	0.6	0.6	11.3	8.4	7.6	9.7	323	38.8	16.8	2.79	1.37	15.9
SWH	3	3	59.5	78.2	1.3	0.0	0.0	0.1	0.2	0.3	9.6	11.1	8.5	14.8	309	36.1	22.1	2.77	1.54	26.2
SWH	4	58	60.2	79.2	0.5	0.0	0.0	0.1	0.6	0.7	9.3	9.0	6.4	14.0	276	33.3	11.8	2.65	1.33	18.3
SWH	5	44	60.7	79.8	0.4	0.0	0.0	0.0	0.5	0.5	9.3	8.6	7.3	10.3	270	36.8	13.6	2.77	1.40	17.0
SWH	6/7	14	60.7	79.8	0.8	0.0	0.0	0.0	0.8	0.9	9.3	9.2	7.3	12.4	302	35.7	19.1	2.72	1.36	20.1
SWH	8	30	60.4	79.5	0.5	0.0	0.1	0.0	0.6	0.7	8.5	10.2	7.1	13.6	321	32.0	23.4	2.59	1.32	24.1
SWH	9	2	62.4	82.0	0.4	0.0	0.0	0.0	0.2	0.2	9.2	9.2	8.7	9.6	310	37.6	25.0	2.83	1.20	20.3
SWH	10	106	61.7	81.1	0.4	0.0	0.0	0.1	0.4	0.5	8.9	8.7	6.7	11.1	267	35.8	22.5	2.73	1.29	17.6
SWH	11	32	61.2	80.5	0.4	0.0	0.0	0.0	0.5	0.5	9.8	8.9	6.7	11.4	311	35.5	21.5	2.71	1.38	18.7
	Crop Year Average																			
SWH	2026	298	61.0	80.2	0.5	0.0	0.0	0.1	0.5	0.6	9.2	9.0			283	35.1	18.8	2.71	1.33	18.6
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9


WHCB	5	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
WHCB	6/7	2	61.6	80.9	1.0	0.0	0.0	0.0	1.1	1.1	9.2	8.5	7.7	9.2	331	29.0	24.8	2.53	1.45	
WHCB	8	18	61.2	80.5	0.8	0.0	0.0	0.0	0.9	0.9	8.6	9.7	7.7	12.8	304	46.8	23.3	2.58	1.26	
WHCB	10	8	61.1	80.4	0.7	0.0	0.0	0.2	1.2	1.4	8.7	9.8	8.0	11.5	319	30.2	27.0	2.58	1.39	
WHCB	11	8	62.8	82.5	0.8	0.0	0.0	0.2	0.9	1.1	9.1	9.3	8.2	11.3	328	31.2	32.1	2.66	1.40	
	Crop Year Average																			
WHCB	2026	37	61.5	80.9	0.8	0.0	0.0	0.1	1.0	1.1	8.8	9.5			313	38.5	26.0	2.59	1.33	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	

HRW	4	7	62.2	81.7	0.2	0.0	0.0	0.0	0.7	0.7	9.4	11.7	11.3	12.4	313	38.8	56.9	2.91	1.49	25.4
HRW	5	1	64.2	84.4	0.0	0.0	0.0	0.0	0.1	0.1	9.2	11.9	11.9	11.9	325	46.1	59.6	3.17	1.23	27.7
HRW	6/7	10	62.1	81.7	0.6	0.0	0.0	0.0	0.5	0.5	8.8	9.7	7.5	12.3	305	36.5	56.5	2.84	1.32	18.7
HRW	8	9	62.0	81.5	0.7	0.0	0.0	0.0	0.6	0.6	9.0	11.4	9.9	12.3	345	38.9	61.6	2.93	1.54	25.5
HRW	10	13	61.5	80.9	0.6	0.0	0.0	0.0	0.5	0.5	8.7	10.0	7.4	12.2	282	34.2	59.3	2.80	1.35	18.6
HRW	11	7	60.5	79.5	0.7	0.0	0.0	0.0	0.8	0.8	8.9	10.1	9.0	11.8	296	33.8	61.0	2.78	1.37	19.9
	Crop Year Average																			
HRW	2026	47	61.7	81.2	0.5	0.0	0.0	0.0	0.6	0.6	8.9	10.5			306	36.5	59.0	2.85	1.40	21.4
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4

HRS	4	2	63.4	83.3	0.2	0.0	0.0	0.0	0.3	0.3	8.7	14.1	13.1	15.0	344	35.5	60.6	2.83	1.61	36.7
HRS	5	2	63.0	82.8	0.5	0.0	0.0	0.1	0.8	0.8	9.2	12.9	12.5	13.2	367	31.3	65.2	2.76	1.60	26.2
HRS	6/7	6	61.2	80.5	0.6	0.0	0.0	0.0	0.8	0.8	8.7	14.5	11.4	16.3	356	34.4	65.1	2.72	1.52	35.5
HRS	8	10	60.9	80.1	0.8	0.0	0.0	0.1	1.0	1.1	9.0	14.3	11.9	17.4	337	33.3	65.1	2.75	1.66	33.8
HRS	10	6	63.1	82.9	0.5	0.0	0.0	0.0	0.9	0.9	8.5	13.4	12.5	14.6	342	34.9	65.8	2.81	1.38	29.7
HRS	11	1	63.0	82.8	0.5	0.0	0.0	0.0	0.1	0.1	12.6	10.9	10.9	10.9	375	42.3	49.8	2.95	1.51	23.0
	Crop Year Average																			
HRS	2026	27	61.9	81.4	0.6	0.0	0.0	0.0	0.8	0.9	8.9	13.9			347	33.7	64.4	2.77	1.55	32.5
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org

Pacific Northwest Wheat Production Zones





BY PRODUCTION ZONES

Table 2


CROP WEEK 6: September 3, 2026																				
			Grading Data								Quality Data									
Class	District	Number of Samples	Test Weight (lb/bu)	Test Weight (kg/hl)	Dockage (%)	Heat Damage (%)	Total Damage (%)	Foreign Material (%)	Shrunk & Broken (%)	Total Defects (%)	Moisture (%)	Protein (% 12% mb)			Falling Number (s, 14%mb)	Thousand Kernel Weight (g, 14% mb)	Kernel Hardness (-20 to 120)	Kernel Size (mm)	Ash (% 14% mb)	Wet Gluten (% 14% mb)
												Average	Low	High						
SWH	NC	63	60.7	79.8	0.6	0.0	0.1	0.0	0.6	0.7	8.6	9.5	7.1	13.6	305	33.7	21.5	2.66	1.33	21.0
SWH	NE	119	61.7	81.1	0.4	0.0	0.0	0.1	0.4	0.5	9.2	8.7	6.7	11.4	276	35.9	22.6	2.73	1.30	18.1
SWH	C	104	60.4	79.5	0.4	0.0	0.0	0.1	0.6	0.7	9.3	8.8	6.4	14.0	274	34.8	12.7	2.70	1.36	17.7
SWH	SW	12	59.9	78.8	0.9	0.0	0.0	0.1	0.5	0.5	10.9	9.1	7.6	14.8	319	38.1	18.1	2.79	1.41	18.5
	Crop Year Average																			
SWH	2026	298	61.0	80.2	0.5	0.0	0.0	0.1	0.5	0.6	9.2	9.0			283	35.1	18.8	2.71	1.33	18.6
SWH	2025	411	61.0	80.3	0.5	0.0	0.0	0.0	0.6	0.6	9.3	10.0			317	33.7	22.5	2.64	1.32	22.7
SWH	5-year average	401	60.5	79.6	0.5	0.0	0.0	0.1	0.7	0.7	9.0	10.2			332	33.0	25.3	2.65	1.40	22.9
WHCB	NC	22	61.0	80.3	0.9	0.0	0.0	0.1	1.1	1.1	8.6	9.6	7.7	12.8	307	43.4	23.5	2.56	1.29	
WHCB	NE	14	62.3	81.9	0.7	0.0	0.0	0.1	0.9	1.0	9.0	9.4	8.0	11.5	324	31.2	30.3	2.65	1.41	
WHCB	C	1	60.1	79.1	0.3	0.0	0.0	0.0	0.4	0.4	9.3	7.8	7.8	7.8	257	31.0	21.9	2.54	1.16	
	Crop Year Average																			
WHCB	2026	37	61.5	80.9	0.8	0.0	0.0	0.1	1.0	1.1	8.8	9.5			313	38.5	26.0	2.59	1.33	
WHCB	2025	38	61.6	81.1	1.0	0.0	0.0	0.1	0.9	0.9	9.4	9.8			330	31.2	23.7	2.56	1.25	
WHCB	5-year average	50	60.6	79.8	0.8	0.0	0.0	0.1	1.2	1.2	8.4	10.3			338	29.9	28.3	2.52	1.31	
HRW	NC	22	61.6	81.1	0.8	0.0	0.0	0.0	0.6	0.6	8.8	10.6	7.5	12.3	321	36.9	59.5	2.86	1.43	21.9
HRW	NE	16	61.5	80.9	0.4	0.0	0.0	0.0	0.5	0.6	8.9	9.8	7.4	11.8	280	34.6	59.1	2.81	1.35	18.0
HRW	C	8	62.4	82.1	0.2	0.0	0.0	0.0	0.6	0.6	9.4	11.7	11.3	12.4	316	39.0	57.8	2.91	1.43	25.9
	Crop Year Average																			
HRW	2026	47	61.7	81.2	0.5	0.0	0.0	0.0	0.6	0.6	8.9	10.5			306	36.5	59.0	2.85	1.40	21.4
HRW	2025	65	61.6	81.0	0.3	0.0	0.0	0.0	0.7	0.7	9.4	12.0			348	34.0	59.6	2.76	1.34	25.1
HRW	5-year average	74	61.0	80.3	0.3	0.0	0.0	0.0	0.7	0.8	9.0	11.7			368	33.9	63.2	2.78	1.43	25.4
HRS	NC	17	61.2	80.5	0.7	0.0	0.0	0.1	1.0	1.1	8.9	14.2	11.4	17.4	343	33.3	64.3	2.76	1.60	33.7
HRS	NE	5	63.0	82.8	0.5	0.0	0.0	0.0	0.5	0.6	9.2	12.7	10.9	13.6	350	35.1	63.6	2.79	1.35	26.3
HRS	C	5	63.1	82.9	0.3	0.0	0.0	0.0	0.6	0.6	8.7	13.9	12.5	15.8	355	33.8	65.4	2.78	1.57	34.6
	Crop Year Average																			
HRS	2026	27	61.9	81.4	0.6	0.0	0.0	0.0	0.8	0.9	8.9	13.9			347	33.7	64.4	2.77	1.55	32.5
HRS	2025	24	62.8	82.6	0.5	0.0	0.0	0.0	0.4	0.4	9.5	13.9			341	33.2	66.6	2.76	1.52	34.2
HRS	5-year average	44	61.5	80.9	0.5	0.0	0.0	0.0	0.8	0.8	9.2	14.6			370	30.7	69.2	2.70	1.60	35.7

1200 N.W. Naito Parkway, Suite 230, Portland, OR 97209-2831
 Ph: (503) 295-0823 Fax: (503) 295-2735 Email: lab@wmcinc.org

Distributions


SOFT WHITE WHEAT

298 SAMPLES



WHITE CLUB WHEAT

37 SAMPLES



Prepared by: Wheat Marketing Center, Portland, Oregon